

Krix Atmospherix AS In-Ceiling Speaker

Product Information

Clever Home Automation



Krix Atmospherix AS In-Ceiling Speaker.



Krix Atmospherix AS In-Ceiling Speaker Description.

The Krix Atmospherix AS is a new upgrade on the highly popular Krix Atmospherix in-ceiling speaker, in which the tweeter has been upgraded, and a new thin bezel magnetic grille that blends more unobtrusively into any interior used.

Krix Atmospherix AS In-Ceiling Speaker

Product Information

Clever Home Automation



The Atmospherix and Atmospherix AS are both high quality in-ceiling loudspeakers that feature fully sealed back-boxes to control and maximise bass response, and to keep out dust and other ceiling inhabitants. Both versions feature aesthetic low-profile paintable grills.

The Krix Atmospherix AS speaker features a new 26mm ring radiator tweeter with central waveguide for improved intelligibility and transparency, and a 130mm bass driver with large magnet and copper shorting ring to provide bass and midrange clarity.



The wide uniform acoustic coverage of the Atmospherix AS makes it the ideal choice for 2 channel stereo and background music applications, including multi-room audio in automated homes. Its uniform coverage is ideally suited to any application where the listening area is not confined to a specific part of the room, such as hallways, dining rooms, office spaces and bedrooms and multipurpose rooms.

Krix Atmospherix AS In-Ceiling Speaker

Product Information

Clever Home Automation



Krix Atmospherix AS In-Ceiling Speaker Specifications.

Frequency Range: 45Hz – 20kHz in room response.

Power Handling: Maximum 100 watts RMS amplifier power.

Sensitivity: 90dB for 2.83 Volts at 1 metre.

Configuration: 5 inch 2-way.

Bass Driver: Cast aluminium basket with a nominal 130mm (5") doped curvilinear paper cone. 25mm (1") voice coil wound on high powered aluminium former with copper shorting ring. Vented and double magnet shielded.

Tweeter: 26mm (1") ring radiator tweeter.

Crossover Point: 2.1kHz.

Impedance: Nominally 6 Ohms.

Enclosure Type: Bass reflex, front vented.

Dimensions: 295mm diameter x 193mm deep.

Mounting Cut-out Diameter: 247mm.

Finish: White (can be painted to match your décor) or brushed chrome.

Input Terminals: Push type connectors.

Weight: 2.5kg each.



Krix Atmospherix AS In-Ceiling Speaker

Product Information

Clever Home Automation



More Atmospherix AS In-Ceiling Speaker Information:

Website Pages:

Krix Atmospherix AS in-ceiling speaker **website page**.

<http://www.cleverhome.com.au/products/Krix-in-ceiling-speakers-Atmospherix-AS.shtml>

Krix Atmospherix in-ceiling speaker **website page**.

<http://www.cleverhome.com.au/products/Krix-in-ceiling-speakers-Atmospherix.shtml>

Krix home theatre, stereo and multi-room audio speakers **website page**.

<http://www.cleverhome.com.au/products/Krix-speakers.shtml>

Brochures and Manuals:

Krix Atmospherix AS in-ceiling speaker **Brochure**.

<http://www.cleverhome.com.au/automation/Krix-in-ceiling-speaker-Atmospherix-AS.pdf>

Krix Atmospherix AS (and A20) in-ceiling speaker **Installation Manual**.

<http://www.cleverhome.com.au/manuals/Krix-in-ceiling-speaker-Atmospherix-AS-and-A20-installation.pdf>

Krix home theatre or stereo speaker **Owner Manual**.

<http://www.cleverhome.com.au/user/Krix-loudspeakers-owner-manual.pdf>